

Adding and removing subforms at runtime

This example demonstrates how to add subforms to and remove subforms from a form at runtime.



To view the calculations and scripts, open this form in Adobe LiveCycle Designer and view the **click** event for the plus (+) and minus (-) buttons, and view the **calculate** event for the Instance text field. In addition, review the Object > Subform tab and Object > Binding tab settings for each of the subforms used in this example.

Note: To add and remove subforms at runtime, you must save your form as a dynamic PDF.

Instructions

1. Click the plus (+) button to add a new instance of the subform.
2. Click the minus (-) button to remove the most recently added instance of the subform.

Add a new instance of the subform.

```
Subform1.Subform2.instanceManager.addInstance(1);
```

Remove the last instance of the subform.

```
Subform1.Subform2.instanceManager.removeInstance(nNumSub);
```

<input type="checkbox"/>	Name: <input type="text"/>	<input type="radio"/> Male
		<input type="radio"/> Female

Adobe helps people create, manage, and deliver the highest quality digital content in the world.

Better by Adobe.™

Adobe Systems Incorporated

345 Park Avenue, San Jose, CA 95110-2704 USA

www.adobe.com

Adobe, the Adobe logo, Acrobat, Adobe LiveCycle, Reader, and "Better by Adobe" are either registered trademarks or trademarks of Adobe Systems Incorporated in the United States and/or other countries.

© 2006 Adobe Systems Incorporated. All rights reserved.

