

Objects

Filter

API Version 9.0 ▼

APIVersionMetadata

fields

references

collections

search

actions

APIVMD

deprecationRelease

deprecationRelease

removalRelease

removalRelease

versionName

versionName

Access Level

fields

references

collections

search

actions

ACSLVL

ID

ID

accessRestrictions

accessRestrictions

Customer ID

customerID

Description

description

Description Key

descriptionKey

Entry Date

entryDate

External Reference ID

extRefID

Field Access Privileges

fieldAccessPrivileges

Is Admin

isAdmin

isUnsupportedWorkerLicense

isUnsupportedWorkerLicense

Last Updated By ID

lastUpdatedByID

lastUpdatedDate

lastUpdatedDate

License

licenseType

Name

name

Name Key

nameKey

Security Model

securityModelType

AccessLevelPermissions

fields

references

collections

search

actions

ALVPER

ID

ID

coreAction	<i>coreAction</i>
forbiddenActions	<i>forbiddenActions</i>
Is Admin	<i>isAdmin</i>
Scope	<i>objObjCode</i>
secondaryActions	<i>secondaryActions</i>

Access Request

fields

references

collections

search

actions

ACSREQ

ID	<i>ID</i>
Action	<i>action</i>
Autogenerated	<i>autoGenerated</i>
autoShareAction	<i>autoShareAction</i>
Customer ID	<i>customerID</i>
granterID	<i>granterID</i>
Last Remind Date	<i>lastRemindDate</i>
Last Update Date	<i>lastUpdateDate</i>
Message	<i>message</i>
Request Date	<i>requestDate</i>
requestedObjCode	<i>requestedObjCode</i>
requestedObjID	<i>requestedObjID</i>
requestedObject	<i>requestedObject</i>
requestedObjectName	<i>requestedObjectName</i>
Requestor ID	<i>requestorID</i>
Status	<i>status</i>

Share

fields

references

collections

search

actions

ACSRUL

ID	<i>ID</i>
accessorID	<i>accessorID</i>
accessorObjCode	<i>accessorObjCode</i>
ancestorID	<i>ancestorID</i>
ancestorObjCode	<i>ancestorObjCode</i>
coreAction	<i>coreAction</i>

Customer ID	<i>customerID</i>
forbiddenActions	<i>forbiddenActions</i>
isInherited	<i>isInherited</i>
secondaryActions	<i>secondaryActions</i>
securityObjCode	<i>securityObjCode</i>
securityObjID	<i>securityObjID</i>

AccessRulePreference

fields

references

collections

search

actions

ARPREF

ID

*ID***Acknowledgement**

fields

references

collections

search

actions

ACK

ID

*ID*acknowledgementType *acknowledgementType*Customer ID *customerID*Entry Date *entryDate*Owner ID *ownerID*referenceObjectName *referenceObjectName*targetID *targetID***Team Stories**

fields

references

collections

search

actions

AGLEWK

ID

*ID*Order *backlogOrder*Color *color*Customer ID *customerID*Estimate *estimate*Ready *isReady*Iteration ID *iterationID*Last Update Date *lastUpdateDate*Last Updated By ID *lastUpdatedByID*Name *name*

Issue ID	<i>opTaskID</i>
parentStoryboardOrder	<i>parentStoryboardOrder</i>
Project ID	<i>projectID</i>
storyBoardOrder	<i>storyBoardOrder</i>
storyBoardParentID	<i>storyBoardParentID</i>
Task ID	<i>taskID</i>
Team ID	<i>teamID</i>
Type	<i>type</i>
Type	<i>uiObjCode</i>
uiObjectID	<i>uiObjectID</i>

Announcement

fields

references

collections

search

actions

ANCMNT

ID	<i>ID</i>
actualSubject	<i>actualSubject</i>
announcementType	<i>announcementType</i>
Content	<i>content</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
formattedRecipients	<i>formattedRecipients</i>
hasAttachments	<i>hasAttachments</i>
isDraft	<i>isDraft</i>
Last Sent Date	<i>lastSentDate</i>
otherRecipientNames	<i>otherRecipientNames</i>
previewUserID	<i>previewUserID</i>
recipientTypes	<i>recipientTypes</i>
sendDraft	<i>sendDraft</i>
Subject	<i>subject</i>
Summary	<i>summary</i>
Type	<i>type</i>

AnnouncementAttachment

ANMATT

ID	ID	fields	references	collections	search	actions
announcementID						<i>announcementID</i>
Document Size						<i>docSize</i>
fileExtension						<i>fileExtension</i>
Formatted Document Size						<i>formatDocSize</i>
Name						<i>name</i>

AnnouncementRecipient

fields

references

collections

search

actions

ANCREC

ID	ID
announcementID	<i>announcementID</i>
Company ID	<i>companyID</i>
Customer ID	<i>customerID</i>
Group ID	<i>groupID</i>
isAllUsers	<i>isAllUsers</i>
recipientID	<i>recipientID</i>
recipientObjCode	<i>recipientObjCode</i>
Role ID	<i>roleID</i>
Team ID	<i>teamID</i>
User ID	<i>userID</i>

Approval

fields

references

collections

search

actions

APPROVAL

BC Completion State	<i>BCCompletionState</i>
ID	<i>ID</i>
URL	<i>URL</i>
accessorIDs	<i>accessorIDs</i>
Actual Benefit	<i>actualBenefit</i>
Actual Completion Date	<i>actualCompletionDate</i>
Actual Cost	<i>actualCost</i>
Actual Duration	<i>actualDuration</i>
actualDurationExpression	<i>actualDurationExpression</i>
Actual Duration Minutes	<i>actualDurationMinutes</i>

Actual Expense Cost	<i>actualExpenseCost</i>
Actual Hours Last Month	<i>actualHoursLastMonth</i>
Actual Hours Last Three Months	<i>actualHoursLastThreeMonths</i>
Actual Hours This Month	<i>actualHoursThisMonth</i>
Actual Hours Two Months Ago	<i>actualHoursTwoMonthsAgo</i>
Actual Labor Cost	<i>actualLaborCost</i>
Actual Revenue	<i>actualRevenue</i>
Actual Risk Cost	<i>actualRiskCost</i>
Actual Start Date	<i>actualStartDate</i>
Actual Value	<i>actualValue</i>
Actual Hours	<i>actualWork</i>
Actual Hours	<i>actualWorkRequired</i>
actualWorkRequiredExpression	<i>actualWorkRequiredExpression</i>
ageRangeAsString	<i>ageRangeAsString</i>
Alignment	<i>alignment</i>
Alignment Scorecard ID	<i>alignmentScoreCardID</i>
allApprovedHours	<i>allApprovedHours</i>
allUnapprovedHours	<i>allUnapprovedHours</i>
Approval Path Completion Date	<i>approvalCompletionDate</i>
Approval Estimated Start Date	<i>approvalEstStartDate</i>
Approval Planned Start Date	<i>approvalPlannedStartDate</i>
approvalPlannedStartDay	<i>approvalPlannedStartDay</i>
Approval Processes ID	<i>approvalProcessID</i>
Approval Projected Start Date	<i>approvalProjectedStartDate</i>
Approval Path Start Date	<i>approvalStartDate</i>
approversString	<i>approversString</i>
Assigned To ID	<i>assignedToID</i>
assignmentsListString	<i>assignmentsListString</i>
auditNote	<i>auditNote</i>
Audit Types	<i>auditTypes</i>
auditUserIDs	<i>auditUserIDs</i>

Auto Baseline Recur On	<i>autoBaselineRecurOn</i>
Auto Baseline Recurrence Type	<i>autoBaselineRecurrenceType</i>
Auto Closure Date	<i>autoClosureDate</i>
Order	<i>backlogOrder</i>
Parent	<i>backlogParent</i>
Billed Revenue	<i>billedRevenue</i>
Cap or Fixed Amount	<i>billingAmount</i>
Billing Record ID	<i>billingRecordID</i>
Budget	<i>budget</i>
Budget Status	<i>budgetStatus</i>
Budgeted Completion Date	<i>budgetedCompletionDate</i>
Budgeted Cost	<i>budgetedCost</i>
Budgeted Hours	<i>budgetedHours</i>
Budgeted Labor Cost	<i>budgetedLaborCost</i>
Budgeted Start Date	<i>budgetedStartDate</i>
Business Case Status	<i>businessCaseStatusLabel</i>
Can Start	<i>canStart</i>
Category ID	<i>categoryID</i>
Color	<i>color</i>
Commit Date	<i>commitDate</i>
commitDateRange	<i>commitDateRange</i>
Company ID	<i>companyID</i>
Completed Hours	<i>completedHours</i>
Completion Pending Date	<i>completionPendingDate</i>
Completion Type	<i>completionType</i>
Condition	<i>condition</i>
Condition Type	<i>conditionType</i>
Constraint Date	<i>constraintDate</i>
convertedOpTaskEntryDate	<i>convertedOpTaskEntryDate</i>
convertedOpTaskName	<i>convertedOpTaskName</i>
convertedOpTaskOriginatorID	<i>convertedOpTaskOriginatorID</i>

Cost Amount	<i>costAmount</i>
Cost Type	<i>costType</i>
Cost Performance Index	<i>cpi</i>
Cost Schedule Performance Index	<i>csi</i>
Currency	<i>currency</i>
Current Approval Stage ID	<i>currentApprovalStepID</i>
currentStatusDuration	<i>currentStatusDuration</i>
Customer ID	<i>customerID</i>
Days Late	<i>daysLate</i>
Deliverable Scorecard ID	<i>deliverableScoreCardID</i>
Goal Success Score	<i>deliverableSuccessScore</i>
deliverableSuccessScoreRatio	<i>deliverableSuccessScoreRatio</i>
Description	<i>description</i>
Display Order	<i>displayOrder</i>
Due Date	<i>dueDate</i>
Duration	<i>duration</i>
durationExpression	<i>durationExpression</i>
Duration in Minutes	<i>durationMinutes</i>
Duration Type	<i>durationType</i>
Duration Unit	<i>durationUnit</i>
EAC	<i>eac</i>
eacCalculationMethod	<i>eacCalculationMethod</i>
Enable Auto Baselines	<i>enableAutoBaselines</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Estimated Due Date	<i>estCompletionDate</i>
Estimated Start Date	<i>estStartDate</i>
Estimate	<i>estimate</i>
External Reference ID	<i>extRefID</i>
Filter Hour Types	<i>filterHourTypes</i>
Last Finance Update Date	<i>financeLastUpdateDate</i>

First Response	<i>firstResponse</i>
Fixed Cost	<i>fixedCost</i>
Fixed End Date	<i>fixedEndDate</i>
Fixed Revenue	<i>fixedRevenue</i>
Fixed Start Date	<i>fixedStartDate</i>
Group ID	<i>groupID</i>
Handoff Date	<i>handoffDate</i>
Has Budget Conflict	<i>hasBudgetConflict</i>
Has Calc Error	<i>hasCalcError</i>
hasCompletionConstraint	<i>hasCompletionConstraint</i>
Has Documents	<i>hasDocuments</i>
Has Expenses	<i>hasExpenses</i>
Has Messages	<i>hasMessages</i>
Has Notes	<i>hasNotes</i>
Has Billing Rate Override	<i>hasRateOverride</i>
Has Resolvables	<i>hasResolvables</i>
hasStartConstraint	<i>hasStartConstraint</i>
Has Reminder Notifications	<i>hasTimedNotifications</i>
hasTimelineException	<i>hasTimelineException</i>
hoursPerPoint	<i>hoursPerPoint</i>
Age	<i>howOld</i>
Indent	<i>indent</i>
Agile	<i>isAgile</i>
Is Complete	<i>isComplete</i>
Is Critical	<i>isCritical</i>
Duration Locked	<i>isDurationLocked</i>
Is Help Desk	<i>isHelpDesk</i>
Exclude from Leveling	<i>isLevelingExcluded</i>
isOriginalPlannedHoursSet	<i>isOriginalPlannedHoursSet</i>
isProjectDead	<i>isProjectDead</i>
Ready	<i>isReady</i>

isStatusComplete	<i>isStatusComplete</i>
Worked Locked	<i>isWorkRequiredLocked</i>
Iteration ID	<i>iterationID</i>
Kanban Board ID	<i>kanbanBoardID</i>
Last Calc Date	<i>lastCalcDate</i>
Last Condition Note ID	<i>lastConditionNoteID</i>
Last Note ID	<i>lastNoteID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Leveling Mode	<i>levelingMode</i>
Leveling Delay	<i>levelingStartDelay</i>
levelingStartDelayExpression	<i>levelingStartDelayExpression</i>
levelingStartDelayMinutes	<i>levelingStartDelayMinutes</i>
masterTaskID	<i>masterTaskID</i>
Milestone ID	<i>milestoneID</i>
Milestone Path ID	<i>milestonePathID</i>
Name	<i>name</i>
Next Date	<i>nextAutoBaselineDate</i>
Number of Children	<i>numberOfChildren</i>
Number of Open Issues	<i>numberOpenOpTasks</i>
Issue Type	<i>opTaskType</i>
opTaskTypeLabel	<i>opTaskTypeLabel</i>
Optimization Score	<i>optimizationScore</i>
Original Duration	<i>originalDuration</i>
Original Planned Hours	<i>originalWorkRequired</i>
Owner ID	<i>ownerID</i>
Owner Privileges	<i>ownerPrivileges</i>
Parent ID	<i>parentID</i>
Parent Lag	<i>parentLag</i>
Parent Lag Type	<i>parentLagType</i>
pendingCalculation	<i>pendingCalculation</i>

Pending Predecessors	<i>pendingPredecessors</i>
pendingUpdateMethods	<i>pendingUpdateMethods</i>
Percent Complete	<i>percentComplete</i>
Performance Index Method	<i>performanceIndexMethod</i>
Personal	<i>personal</i>
Planned Benefit	<i>plannedBenefit</i>
Planned Completion Date	<i>plannedCompletionDate</i>
Planned Cost	<i>plannedCost</i>
Planned Date Alignment	<i>plannedDateAlignment</i>
Planned Duration	<i>plannedDuration</i>
Planned Duration Minutes	<i>plannedDurationMinutes</i>
Planned Expense Cost	<i>plannedExpenseCost</i>
Planned Hours Alignment	<i>plannedHoursAlignment</i>
Planned Labor Cost	<i>plannedLaborCost</i>
Planned Revenue	<i>plannedRevenue</i>
Planned Risk Cost	<i>plannedRiskCost</i>
Planned Start Date	<i>plannedStartDate</i>
Planned Value	<i>plannedValue</i>
Pop Account ID	<i>popAccountID</i>
Portfolio ID	<i>portfolioID</i>
Portfolio Priority	<i>portfolioPriority</i>
predecessorExpression	<i>predecessorExpression</i>
Previous Status	<i>previousStatus</i>
Priority	<i>priority</i>
Program ID	<i>programID</i>
Progress Status	<i>progressStatus</i>
Project ID	<i>projectID</i>
Projected Completion Date	<i>projectedCompletionDate</i>
Projected Duration Minutes	<i>projectedDurationMinutes</i>
Projected Start Date	<i>projectedStartDate</i>
Queue Definition ID	<i>queueDefID</i>

Queue Topic ID	<i>queueTopicID</i>
Recurrence Number	<i>recurrenceNumber</i>
Recurrence Rule ID	<i>recurrenceRuleID</i>
Reference Number	<i>referenceNumber</i>
referenceObjCode	<i>referenceObjCode</i>
referenceObjID	<i>referenceObjID</i>
Rejection Issue ID	<i>rejectionIssueID</i>
Remaining Cost	<i>remainingCost</i>
Remaining Duration Minutes	<i>remainingDurationMinutes</i>
Remaining Revenue	<i>remainingRevenue</i>
Remaining Risk Cost	<i>remainingRiskCost</i>
Reserved Time ID	<i>reservedTimeID</i>
Resolution time	<i>resolutionTime</i>
Resolve Issue ID	<i>resolveOpTaskID</i>
Resolve Project ID	<i>resolveProjectID</i>
Resolve Task ID	<i>resolveTaskID</i>
Resolving Object Type	<i>resolvingObjCode</i>
Resolving Object ID	<i>resolvingObjID</i>
Legacy Resource Pool ID	<i>resourcePoolID</i>
Resource Scope	<i>resourceScope</i>
Revenue Type	<i>revenueType</i>
Risk	<i>risk</i>
RPI	<i>riskPerformanceIndex</i>
ROI	<i>roi</i>
Role ID	<i>roleID</i>
Schedule ID	<i>scheduleID</i>
Schedule Mode	<i>scheduleMode</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Selected on Portfolio Optimizer	<i>selectedOnPortfolioOptimizer</i>
Severity	<i>severity</i>

showCommitDate	<i>showCommitDate</i>
showCondition	<i>showCondition</i>
showStatus	<i>showStatus</i>
Slack Date	<i>slackDate</i>
Source Object Type	<i>sourceObjCode</i>
Source Object ID	<i>sourceObjID</i>
Source Task ID	<i>sourceTaskID</i>
Schedule Performance Index	<i>spi</i>
Sponsor ID	<i>sponsorID</i>
Status	<i>status</i>
Status Equates With	<i>statusEquatesWith</i>
Status Update	<i>statusUpdate</i>
storyBoardOrder	<i>storyBoardOrder</i>
Submitted By ID	<i>submittedByID</i>
summaryCompletionType	<i>summaryCompletionType</i>
syncBurndownDate	<i>syncBurndownDate</i>
Task Constraint	<i>taskConstraint</i>
Task Number	<i>taskNumber</i>
taskNumberPredecessorString	<i>taskNumberPredecessorString</i>
Team ID	<i>teamID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
timelineExceptionInfo	<i>timelineExceptionInfo</i>
Total Hours	<i>totalHours</i>
totalOpTaskCount	<i>totalOpTaskCount</i>
totalTaskCount	<i>totalTaskCount</i>
Tracking Mode	<i>trackingMode</i>
Update Type	<i>updateType</i>
URL	<i>url</i>
Version	<i>version</i>
Work Breakdown Structure	<i>wbs</i>

Work	<i>work</i>
workPerDayList	<i>workPerDayList</i>
Planned Hours	<i>workRequired</i>
workRequiredExpression	<i>workRequiredExpression</i>
workUnit	<i>workUnit</i>

Approval

fields

references

collections

search

actions

ARVPTH

ID	<i>ID</i>
Approval Processes ID	<i>approvalProcessID</i>
approvedStatus	<i>approvedStatus</i>
approvedStatusLabel	<i>approvedStatusLabel</i>
Comment	<i>comment</i>
Customer ID	<i>customerID</i>
Duration in Minutes	<i>durationMinutes</i>
Duration Unit	<i>durationUnit</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Template Approval ID	<i>globalPathID</i>
Is Private	<i>isPrivate</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>
rejectedStatus	<i>rejectedStatus</i>
rejectedStatusLabel	<i>rejectedStatusLabel</i>
shouldCreateIssue	<i>shouldCreateIssue</i>
targetStatus	<i>targetStatus</i>
targetStatusLabel	<i>targetStatusLabel</i>

Approval Process

fields

references

collections

search

actions

ARVPRC

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>

Approval ObjCode	<i>approvalObjCode</i>
Approval Statuses	<i>approvalStatuses</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Duration in Minutes	<i>durationMinutes</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Is Private	<i>isPrivate</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>

Approval Stage

fields

references

collections

search

actions

ARVSTP

ID	<i>ID</i>
Approval Path ID	<i>approvalPathID</i>
Approval Type	<i>approvalType</i>
Customer ID	<i>customerID</i>
Name	<i>name</i>
Sequence Number	<i>sequenceNumber</i>

ApproverStatus

fields

references

collections

search

actions

ARVSTS

ID	<i>ID</i>
approvableObjCode	<i>approvableObjCode</i>
approvableObjID	<i>approvableObjID</i>
Approval Stage ID	<i>approvalStepID</i>
Approved By ID	<i>approvedByID</i>
Customer ID	<i>customerID</i>
delegateUserID	<i>delegateUserID</i>

isOverridden	<i>isOverridden</i>
Issue ID	<i>opTaskID</i>
overriddenUserID	<i>overriddenUserID</i>
Project ID	<i>projectID</i>
Status	<i>status</i>
stepApproverID	<i>stepApproverID</i>
Task ID	<i>taskID</i>
wildcardUserID	<i>wildcardUserID</i>

Assignment

ASSGN

AuditLoginAsSession

fields

references

collections

search

actions

AUDS

ID	<i>ID</i>
actionCount	<i>actionCount</i>
Customer ID	<i>customerID</i>
End Date	<i>endDate</i>
noteCount	<i>noteCount</i>
sessionID	<i>sessionID</i>
Start Date	<i>startDate</i>
targetUserDisplay	<i>targetUserDisplay</i>
targetUserID	<i>targetUserID</i>
userDisplay	<i>userDisplay</i>
User ID	<i>userID</i>

Photo

fields

references

collections

search

actions

AVATAR

ID	<i>ID</i>
allowedActions	<i>allowedActions</i>
Profile Photo Date	<i>avatarDate</i>
avatarDownloadURL	<i>avatarDownloadURL</i>
Profile Photo Size	<i>avatarSize</i>
Profile Photo X	<i>avatarX</i>

Profile Photo Y

avatarY

handle

*handle***AwaitingApproval**

fields

references

collections

search

actions

AWAPVL

ID

ID

accessRequestID

accessRequestID

approvable

approvable

approvableID

approvableID

Approver ID

approverID

Customer ID

customerID

Document ID

documentID

Entry Date

entryDate

Issue ID

opTaskID

Project ID

projectID

Role ID

roleID

Submitted By ID

submittedByID

Task ID

taskID

Team ID

teamID

Timesheet ID

timesheetID

User ID

*userID***Background Job**

fields

references

collections

search

actions

BKGJOB

ID

ID

accessCount

accessCount

cacheKey

cacheKey

changedObjects

changedObjects

Customer ID

customerID

End Date

endDate

Entered By ID

enteredByID

Entry Date

entryDate

errorMessage

errorMessage

Expiration Date	<i>expirationDate</i>
handlerClassName	<i>handlerClassName</i>
maxProgress	<i>maxProgress</i>
Percent Complete	<i>percentComplete</i>
Progress	<i>progress</i>
progressText	<i>progressText</i>
Start Date	<i>startDate</i>
Status	<i>status</i>

Baseline**fields**

references

collections

search

actions

BLIN

ID	<i>ID</i>
Actual Completion Date	<i>actualCompletionDate</i>
Actual Cost	<i>actualCost</i>
Actual Duration Minutes	<i>actualDurationMinutes</i>
Actual Start Date	<i>actualStartDate</i>
Actual Hours	<i>actualWorkRequired</i>
Autogenerated	<i>autoGenerated</i>
Budget	<i>budget</i>
Condition	<i>condition</i>
Cost Performance Index	<i>cpi</i>
Cost Schedule Performance Index	<i>csi</i>
Customer ID	<i>customerID</i>
Duration in Minutes	<i>durationMinutes</i>
EAC	<i>eac</i>
Entry Date	<i>entryDate</i>
Estimated Due Date	<i>estCompletionDate</i>
Estimated Start Date	<i>estStartDate</i>
Is Default	<i>isDefault</i>
Name	<i>name</i>
Percent Complete	<i>percentComplete</i>
Planned Completion Date	<i>plannedCompletionDate</i>

Planned Cost	<i>plannedCost</i>
Planned Start Date	<i>plannedStartDate</i>
Progress Status	<i>progressStatus</i>
Project ID	<i>projectID</i>
Projected Completion Date	<i>projectedCompletionDate</i>
Projected Start Date	<i>projectedStartDate</i>
Schedule Performance Index	<i>spi</i>
Planned Hours	<i>workRequired</i>

Baseline Task

fields

references

collections

search

actions

BSTSK

ID	<i>ID</i>
Actual Completion Date	<i>actualCompletionDate</i>
Actual Cost	<i>actualCost</i>
Actual Duration Minutes	<i>actualDurationMinutes</i>
Actual Start Date	<i>actualStartDate</i>
Actual Hours	<i>actualWorkRequired</i>
Baseline ID	<i>baselineID</i>
Cost Performance Index	<i>cpi</i>
Cost Schedule Performance Index	<i>csi</i>
Customer ID	<i>customerID</i>
Duration in Minutes	<i>durationMinutes</i>
Duration Unit	<i>durationUnit</i>
EAC	<i>eac</i>
Entry Date	<i>entryDate</i>
Estimated Due Date	<i>estCompletionDate</i>
Estimated Start Date	<i>estStartDate</i>
Is Default	<i>isDefault</i>
Name	<i>name</i>
Percent Complete	<i>percentComplete</i>
Planned Completion Date	<i>plannedCompletionDate</i>
Planned Cost	<i>plannedCost</i>

Planned Start Date	<i>plannedStartDate</i>
Progress Status	<i>progressStatus</i>
Projected Completion Date	<i>projectedCompletionDate</i>
Projected Start Date	<i>projectedStartDate</i>
Schedule Performance Index	<i>spi</i>
Task ID	<i>taskID</i>
Planned Hours	<i>workRequired</i>

Billing Record

fields

references

collections

search

actions

BILL

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Amount	<i>amount</i>
Billing Date	<i>billingDate</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Display Name	<i>displayName</i>
External Reference ID	<i>extRefID</i>
Invoice ID	<i>invoiceID</i>
Other Amount	<i>otherAmount</i>
PO Number	<i>poNumber</i>
Project ID	<i>projectID</i>
Status	<i>status</i>

BudgetedHour

fields

references

collections

search

actions

BGHR

GUID	<i>GUID</i>
Allocation Date	<i>allocationDate</i>
Budgeted Hours	<i>budgetedHours</i>
Planned Budgeted Hours	<i>plannedBudgetedHours</i>
Project ID	<i>projectID</i>
Role ID	<i>roleID</i>
User ID	<i>userID</i>

BurndownEvent

fields

references

collections

search

actions

BDNEVT

ID	<i>ID</i>
applyDate	<i>applyDate</i>
burndownObjCode	<i>burndownObjCode</i>
burndownObjID	<i>burndownObjID</i>
Customer ID	<i>customerID</i>
deltaPointsComplete	<i>deltaPointsComplete</i>
deltaTotalItems	<i>deltaTotalItems</i>
deltaTotalPoints	<i>deltaTotalPoints</i>
Entry Date	<i>entryDate</i>
eventInitiator	<i>eventInitiator</i>
Object Type	<i>eventObjCode</i>
eventObjID	<i>eventObjID</i>
Is Complete	<i>isComplete</i>

Calendar in Dashboard

fields

references

collections

search

actions

CALPTL

ID	<i>ID</i>
calendarInfolD	<i>calendarInfolD</i>
Customer ID	<i>customerID</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>

Calendar Section

fields

references

collections

search

actions

CALSEC

ID	<i>ID</i>
calEvents	<i>calEvents</i>
calendarID	<i>calendarID</i>

Color	<i>color</i>
Customer ID	<i>customerID</i>
Duration	<i>duration</i>
Milestone	<i>milestone</i>
Name	<i>name</i>
Planned Date	<i>plannedDate</i>
Start Date	<i>startDate</i>

Category

fields

references

collections

search

actions

CTGY

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Type	<i>catObjCode</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
External Reference ID	<i>extRefID</i>
Group ID	<i>groupID</i>
Has Calculated Fields	<i>hasCalculatedFields</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>

CategoryAccessRule

fields

references

collections

search

actions

CATACR

ID	<i>ID</i>
accessorID	<i>accessorID</i>
accessorObjCode	<i>accessorObjCode</i>
Category ID	<i>categoryID</i>
Customer ID	<i>customerID</i>

CategoryCascadeRule

fields

references

collections

search

actions

CTCSRL

ID	<i>ID</i>
Category ID	<i>categoryID</i>
Customer ID	<i>customerID</i>
nextParameterGroupID	<i>nextParameterGroupID</i>
nextParameterID	<i>nextParameterID</i>
otherwiseParameterID	<i>otherwiseParameterID</i>
ruleType	<i>ruleType</i>
toEndOfForm	<i>toEndOfForm</i>

CategoryCascadeRuleMatch

CTCSR

ID	<i>ID</i>	fields	references	collections	search	actions
categoryCascadeRuleID						<i>categoryCascadeRuleID</i>
Customer ID						<i>customerID</i>
matchType						<i>matchType</i>
parameterID						<i>parameterID</i>
Value						<i>value</i>

Category Parameter

fields

references

collections

search

actions

CTGYPA

Category ID	<i>categoryID</i>
customExpression	<i>customExpression</i>
Customer ID	<i>customerID</i>
Display Order	<i>displayOrder</i>
isInvalidExpression	<i>isInvalidExpression</i>
isJournaled	<i>isJournaled</i>
Is Required	<i>isRequired</i>
parameterGroupID	<i>parameterGroupID</i>
parameterID	<i>parameterID</i>
rowShared	<i>rowShared</i>
Security Level	<i>securityLevel</i>
updateCalculatedValues	<i>updateCalculatedValues</i>

viewSecurityLevel

viewSecurityLevel

CategoryParameterExpression

CTGPEX

ID	ID	fields	references	collections	search	actions
customExpression						customExpression
Customer ID						customerID
hasFinanceFields						hasFinanceFields

Company

fields

references

collections

search

actions

COMPY

ID	ID
Category ID	categoryID
Customer ID	customerID
Default Interface	defaultInterface
Entered By ID	enteredByID
Entry Date	entryDate
External Reference ID	extRefID
Has Billing Rate Override	hasRateOverride
Is Primary	isPrimary
Last Update Date	lastUpdateDate
Last Updated By ID	lastUpdatedByID
Name	name

fields

references

collections

search

actions

CXTHP

ID	ID
articleName	articleName
pageID	pageID
URL	url

Custom Enum

fields

references

collections

search

actions

CSTEM

ID	ID

Color	<i>color</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
enumClass	<i>enumClass</i>
equatesWith	<i>equatesWith</i>
External Reference ID	<i>extRefID</i>
Group ID	<i>groupID</i>
Is Primary	<i>isPrimary</i>
Label	<i>label</i>
Value	<i>value</i>
valueAsInt	<i>valueAsInt</i>
valueAsString	<i>valueAsString</i>

fields references collections search actions **LTMCL**

ID	<i>ID</i>
labelPlural	<i>labelPlural</i>
labelSingular	<i>labelSingular</i>
Scope	<i>objObjCode</i>

Custom Quarter **fields** references collections search actions **CSTQRT**

ID	<i>ID</i>
Customer ID	<i>customerID</i>
End Date	<i>endDate</i>
quarterLabel	<i>quarterLabel</i>
Start Date	<i>startDate</i>

Customer **CUST**

CustomerPreferences **fields** references collections search actions **CUSTPR**

Name	<i>name</i>
objCode	<i>objCode</i>
possibleValues	<i>possibleValues</i>

Value	<i>value</i>
-------	--------------

Diagnostic **fields** references collections search actions *DIAG*

No data available under fields for a diagnostic	
--	--

DocMetadataLink **fields** references collections search actions *DMETAL*

ID	<i>ID</i>
----	-----------

DocMetadataLinkGroup **fields** references collections search actions *DMETAG*

ID	<i>ID</i>
----	-----------

Document **fields** references collections search actions *DOCU*

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
advancedProofingOptions	<i>advancedProofingOptions</i>
Category ID	<i>categoryID</i>
checkOutTimestamp	<i>checkOutTimestamp</i>
checkedOutByID	<i>checkedOutByID</i>
createProof	<i>createProof</i>
Current Version ID	<i>currentVersionID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Document Type	<i>docObjCode</i>
documentProviderID	<i>documentProviderID</i>
documentRequestID	<i>documentRequestID</i>
downloadURL	<i>downloadURL</i>
External Reference ID	<i>extRefID</i>
External Integration Type	<i>externalIntegrationType</i>

File Type	<i>fileType</i>
folderIDs	<i>folderIDs</i>
handle	<i>handle</i>
Has Notes	<i>hasNotes</i>
Is Private	<i>isPrivate</i>
Is Public	<i>isPublic</i>
Iteration ID	<i>iterationID</i>
Last Modified	<i>lastModDate</i>
Last Note ID	<i>lastNoteID</i>
lastSyncDate	<i>lastSyncDate</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
lastVersionNum	<i>lastVersionNum</i>
masterTaskID	<i>masterTaskID</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Issue ID	<i>opTaskID</i>
Owner ID	<i>ownerID</i>
Portfolio ID	<i>portfolioID</i>
previewURL	<i>previewURL</i>
Program ID	<i>programID</i>
Project ID	<i>projectID</i>
publicToken	<i>publicToken</i>
Reference Number	<i>referenceNumber</i>
referenceObjCode	<i>referenceObjCode</i>
referenceObjID	<i>referenceObjID</i>
referenceObjectClosed	<i>referenceObjectClosed</i>
referenceObjectName	<i>referenceObjectName</i>
Release Version ID	<i>releaseVersionID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>

Task ID	<i>taskID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
Top Document Type	<i>topDocObjCode</i>
Top ObjID	<i>topObjID</i>
User ID	<i>userID</i>

Document Approval

fields

references

collections

search

actions

DOCAPL

ID	<i>ID</i>
Approval Date	<i>approvalDate</i>
Approver ID	<i>approverID</i>
autoDocumentShareID	<i>autoDocumentShareID</i>
Customer ID	<i>customerID</i>
Document ID	<i>documentID</i>
noteID	<i>noteID</i>
Request Date	<i>requestDate</i>
Requestor ID	<i>requestorID</i>
Status	<i>status</i>

Document Folder

fields

references

collections

search

actions

DOCFDR

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Customer ID	<i>customerID</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
issueID	<i>issueID</i>
Iteration ID	<i>iterationID</i>
Last Modified	<i>lastModDate</i>
linkedFolderID	<i>linkedFolderID</i>
Name	<i>name</i>
Parent ID	<i>parentID</i>

Portfolio ID	<i>portfolioID</i>
Program ID	<i>programID</i>
Project ID	<i>projectID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Task ID	<i>taskID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
User ID	<i>userID</i>

Document Request

fields

references

collections

search

actions

DOCREQ

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Completion Date	<i>completionDate</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
formatEntryDate	<i>formatEntryDate</i>
Iteration ID	<i>iterationID</i>
masterTaskID	<i>masterTaskID</i>
Issue ID	<i>opTaskID</i>
Portfolio ID	<i>portfolioID</i>
Program ID	<i>programID</i>
Project ID	<i>projectID</i>
Type	<i>refObjCode</i>
refObjID	<i>refObjID</i>
requesteeID	<i>requesteeID</i>
Requestor ID	<i>requestorID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>

Status	<i>status</i>
Task ID	<i>taskID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
User ID	<i>userID</i>

Document Version

fields

references

collections

search

actions

DOCV

ID	ID
accessorIDs	<i>accessorIDs</i>
Active Proof Stages	<i>activeProofStages</i>
advancedProofingOptions	<i>advancedProofingOptions</i>
createProof	<i>createProof</i>
Customer ID	<i>customerID</i>
Document Size	<i>docSize</i>
docStatus	<i>docStatus</i>
Document ID	<i>documentID</i>
documentProviderID	<i>documentProviderID</i>
documentTypeLabel	<i>documentTypeLabel</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Ext.	<i>ext</i>
externalDownloadURL	<i>externalDownloadURL</i>
External Integration Type	<i>externalIntegrationType</i>
externalPreviewURL	<i>externalPreviewURL</i>
externalSaveLocation	<i>externalSaveLocation</i>
External Storage ID	<i>externalStorageID</i>
File Name	<i>fileName</i>
File Type	<i>fileType</i>
Formatted Document Size	<i>formatDocSize</i>
formatEntryDate	<i>formatEntryDate</i>
handle	<i>handle</i>

icon	<i>icon</i>
isProofAutomated	<i>isProofAutomated</i>
isProofable	<i>isProofable</i>
Location	<i>location</i>
Proof ID	<i>proofID</i>
proofStageID	<i>proofStageID</i>
proofStatus	<i>proofStatus</i>
proofStatusDate	<i>proofStatusDate</i>
proofStatusMsgKey	<i>proofStatusMsgKey</i>
Proof Creator ID	<i>proofedByUserID</i>
Version	<i>version</i>

Endorsement

fields

references

collections

search

actions

ENDR

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Has Replies	<i>hasReplies</i>
isAssignee	<i>isAssignee</i>
isOwner	<i>isOwner</i>
numLikes	<i>numLikes</i>
Num Replies	<i>numReplies</i>
Issue ID	<i>opTaskID</i>
Portfolio ID	<i>portfolioID</i>
Program ID	<i>programID</i>
Project ID	<i>projectID</i>
receiverID	<i>receiverID</i>
Type	<i>refObjCode</i>
refObjID	<i>refObjID</i>
referenceObjectName	<i>referenceObjectName</i>

Role ID	<i>roleID</i>
SubObjCode	<i>subObjCode</i>
SubObjID	<i>subObjID</i>
subReferenceObjectName	<i>subReferenceObjectName</i>
Task ID	<i>taskID</i>
Top ObjCode	<i>topObjCode</i>
Top ObjID	<i>topObjID</i>
topReferenceObjectName	<i>topReferenceObjectName</i>

EndorsementShare

fields

references

collections

search

actions

ENDSHR

ID	<i>ID</i>
accessorObjCode	<i>accessorObjCode</i>
accessorObjID	<i>accessorObjID</i>
Customer ID	<i>customerID</i>
endorsementID	<i>endorsementID</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Team ID	<i>teamID</i>
User ID	<i>userID</i>

EwsFileHandle

fields

references

collections

search

actions

EWS

File Name	<i>fileName</i>
handle	<i>handle</i>
objCode	<i>objCode</i>

Exchange Rate

fields

references

collections

search

actions

EXRATE

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>

Currency	<i>currency</i>
Customer ID	<i>customerID</i>
External Reference ID	<i>extRefID</i>
Project ID	<i>projectID</i>
Rate	<i>rate</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Template ID	<i>templateID</i>

Expense

fields

references

collections

search

actions

EXPNS

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Actual Amount	<i>actualAmount</i>
Actual Unit Amount	<i>actualUnitAmount</i>
Billing Record ID	<i>billingRecordID</i>
Category ID	<i>categoryID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Date Paid	<i>effectiveDate</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Expense ObjCode	<i>expObjCode</i>
Expense Type ID	<i>expenseTypeID</i>
External Reference ID	<i>extRefID</i>
Is Billable	<i>isBillable</i>
Is Reimbursable	<i>isReimbursable</i>
Is Reimbursed	<i>isReimbursed</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
masterTaskID	<i>masterTaskID</i>
ObjID	<i>objID</i>

Planned Amount	<i>plannedAmount</i>
Planned Date	<i>plannedDate</i>
Planned Unit Amount	<i>plannedUnitAmount</i>
Project ID	<i>projectID</i>
referenceObjCode	<i>referenceObjCode</i>
referenceObjID	<i>referenceObjID</i>
referenceObjectName	<i>referenceObjectName</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Task ID	<i>taskID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
Top ObjCode	<i>topObjCode</i>
Top ObjID	<i>topObjID</i>
topReferenceObjCode	<i>topReferenceObjCode</i>
topReferenceObjID	<i>topReferenceObjID</i>

Expense Type

fields

references

collections

search

actions

EXPTYP

ID	<i>ID</i>
Global ID	<i>appGlobalID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Description Key	<i>descriptionKey</i>
displayPer	<i>displayPer</i>
Display Units	<i>displayRateUnit</i>
External Reference ID	<i>extRefID</i>
Name	<i>name</i>
Name Key	<i>nameKey</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Rate	<i>rate</i>

Units

*rateUnit***External Page**

fields

references

collections

search

actions

EXTSEC

ID	<i>ID</i>
Global ID	<i>appGlobalID</i>
calculatedURL	<i>calculatedURL</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Description Key	<i>descriptionKey</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Frame	<i>frame</i>
friendlyURL	<i>friendlyURL</i>
UI Key	<i>globalUIKey</i>
Height	<i>height</i>
Name	<i>name</i>
Name Key	<i>nameKey</i>
ObjID	<i>objID</i>
Object Interface	<i>objInterface</i>
Scope	<i>objObjCode</i>
Scrolling	<i>scrolling</i>
URL	<i>url</i>
View ID	<i>viewID</i>

Favorite

fields

references

collections

search

actions

FVRITE

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>

User ID

*userID***Project (Financial Data)**

fields

references

collections

search

actions

FINDAT

ID

ID

Actual Expense Cost

actualExpenseCost

Actual Fixed Revenue

actualFixedRevenue

Actual Labor Cost

actualLaborCost

Actual Labor Cost Hours

actualLaborCostHours

Actual Labor Revenue

actualLaborRevenue

Allocation Date

allocationdate

Customer ID

customerID

Fixed Cost

fixedCost

Is Split

isSplit

Planned Expense Cost

plannedExpenseCost

Planned Fixed Revenue

plannedFixedRevenue

Planned Labor Cost

plannedLaborCost

Planned Labor Cost Hours

plannedLaborCostHours

Planned Labor Revenue

plannedLaborRevenue

Project ID

projectID

Total Actual Cost

totalActualCost

Total Actual Revenue

totalActualRevenue

Total Planned Cost

totalPlannedCost

Total Planned Revenue

totalPlannedRevenue

Total Cost Variance

totalVarianceCost

Total Revenue Variance

totalVarianceRevenue

Expense Cost Variance

varianceExpenseCost

Labor Cost Variance

varianceLaborCost

Labor Hours Variance

varianceLaborCostHours

Labor Revenue Variance

*varianceLaborRevenue***Group**

fields

references

collections

search

actions

GROUP

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Default Interface	<i>defaultInterface</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Is Public	<i>isPublic</i>
Layout Template ID	<i>layoutTemplateID</i>
Name	<i>name</i>
Parent ID	<i>parentID</i>

Hour

fields

references

collections

search

actions

HOURL

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Actual Cost	<i>actualCost</i>
Approved By ID	<i>approvedByID</i>
Approved on Date	<i>approvedOnDate</i>
Billing Record ID	<i>billingRecordID</i>
Customer ID	<i>customerID</i>
Days	<i>days</i>
Description	<i>description</i>
Duplicate ID	<i>dupID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Has Billing Rate Override	<i>hasRateOverride</i>
Hour Type ID	<i>hourTypeID</i>
Hours	<i>hours</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Issue ID	<i>opTaskID</i>

Owner ID	<i>ownerID</i>
Project ID	<i>projectID</i>
Project Overhead ID	<i>projectOverheadID</i>
referenceObjCode	<i>referenceObjCode</i>
referenceObjID	<i>referenceObjID</i>
Resource Revenue	<i>resourceRevenue</i>
Role ID	<i>roleID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Status	<i>status</i>
Task ID	<i>taskID</i>
Timesheet ID	<i>timesheetID</i>
workHoursPerDay	<i>workHoursPerDay</i>

Hour Type

fields

references

collections

search

actions

HOURT

ID	<i>ID</i>
Global ID	<i>appGlobalID</i>
Count As Revenue	<i>countAsRevenue</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Description Key	<i>descriptionKey</i>
Type	<i>displayObjObjCode</i>
External Reference ID	<i>extRefID</i>
Is Active	<i>isActive</i>
Name	<i>name</i>
Name Key	<i>nameKey</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Overhead Type	<i>overheadType</i>
Scope	<i>scope</i>

IPRange

fields

references

collections

search

actions

IPRAGE

ID	<i>ID</i>
Customer ID	<i>customerID</i>
endRange	<i>endRange</i>
startRange	<i>startRange</i>

Iteration

fields

references

collections

search

actions

ITRN

ID	<i>ID</i>
URL	<i>URL</i>
Capacity	<i>capacity</i>
Category ID	<i>categoryID</i>
Customer ID	<i>customerID</i>
End Date	<i>endDate</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Points Completed	<i>estimateCompleted</i>
Focus Factor	<i>focusFactor</i>
Goal	<i>goal</i>
Has Documents	<i>hasDocuments</i>
Has Notes	<i>hasNotes</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>
originalTotalEstimate	<i>originalTotalEstimate</i>
Owner ID	<i>ownerID</i>
Percent Complete	<i>percentComplete</i>
Start Date	<i>startDate</i>
Status	<i>status</i>
syncBurndownDate	<i>syncBurndownDate</i>
targetPercentComplete	<i>targetPercentComplete</i>

taskIDs	<i>taskIDs</i>
Team ID	<i>teamID</i>
Total Points	<i>totalEstimate</i>

Journal Entry

fields

references

collections

search

actions

JRNLE

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
approverStatusID	<i>approverStatusID</i>
Assignment ID	<i>assignmentID</i>
auditRecordID	<i>auditRecordID</i>
Additional Info 1	<i>aux1</i>
Additional Info 2	<i>aux2</i>
Additional Info 3	<i>aux3</i>
Baseline ID	<i>baselineID</i>
Billing Record ID	<i>billingRecordID</i>
Change Type	<i>changeType</i>
Customer ID	<i>customerID</i>
documentApprovalID	<i>documentApprovalID</i>
Document ID	<i>documentID</i>
documentShareID	<i>documentShareID</i>
Duration in Minutes	<i>durationMinutes</i>
Edited by ID	<i>editedByID</i>
Entry Date	<i>entryDate</i>
expenseID	<i>expenseID</i>
External Reference ID	<i>extRefID</i>
Field Name	<i>fieldName</i>
Flags	<i>flags</i>
hourID	<i>hourID</i>
New Date Value	<i>newDateVal</i>
New Number Value	<i>newNumberVal</i>
New Text Value	<i>newTextVal</i>

numLikes	<i>numLikes</i>
Num Replies	<i>numReplies</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Old Date Value	<i>oldDateVal</i>
Old Number Value	<i>oldNumberVal</i>
Old Text Value	<i>oldTextVal</i>
Issue ID	<i>opTaskID</i>
Portfolio ID	<i>portfolioID</i>
Program ID	<i>programID</i>
Project ID	<i>projectID</i>
referenceObjectName	<i>referenceObjectName</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
SubObjCode	<i>subObjCode</i>
SubObjID	<i>subObjID</i>
subReferenceObjectName	<i>subReferenceObjectName</i>
Task ID	<i>taskID</i>
Template ID	<i>templateID</i>
Timesheet ID	<i>timesheetID</i>
Top ObjCode	<i>topObjCode</i>
Top ObjID	<i>topObjID</i>
topReferenceObjectName	<i>topReferenceObjectName</i>
User ID	<i>userID</i>

Kanban Board

fields

references

collections

search

actions

KBNBND

ID

ID

Name

*name***Layout Template**

fields

references

collections

search

actions

LYTMPL

ID

ID

Global ID	<i>appGlobalID</i>
Customer ID	<i>customerID</i>
defaultNavItem	<i>defaultNavItem</i>
Description	<i>description</i>
Description Key	<i>descriptionKey</i>
External Reference ID	<i>extRefID</i>
Group ID	<i>groupID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
License	<i>licenseType</i>
Name	<i>name</i>
Name Key	<i>nameKey</i>
navBar	<i>navBar</i>
Nav Items	<i>navItems</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>

Like

fields

references

collections

search

actions

LIKE

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
journalEntryID	<i>journalEntryID</i>
noteID	<i>noteID</i>

LinkedFolder

fields

references

collections

search

actions

LNKFDR

ID	<i>ID</i>
Customer ID	<i>customerID</i>
documentProviderID	<i>documentProviderID</i>
External Integration Type	<i>externalIntegrationType</i>
External Storage ID	<i>externalStorageID</i>

folderID	<i>folderID</i>
isTopLevelFolder	<i>isTopLevelFolder</i>
lastSyncDate	<i>lastSyncDate</i>
linkedByID	<i>linkedByID</i>
linkedDate	<i>linkedDate</i>

MessageArg

fields

references

collections

search

actions

MSGARG

ID	<i>ID</i>
allowedActions	<i>allowedActions</i>
Color	<i>color</i>
href	<i>href</i>
objcode	<i>objcode</i>
ObjID	<i>objid</i>
text	<i>text</i>
Type	<i>type</i>

Milestone

fields

references

collections

search

actions

MILE

ID	<i>ID</i>
Color	<i>color</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
External Reference ID	<i>extRefID</i>
Milestone Path ID	<i>milestonePathID</i>
Name	<i>name</i>
Sequence	<i>sequence</i>

Milestone Path

fields

references

collections

search

actions

MPATH

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>

Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Name	<i>name</i>

Non Work Day

fields

references

collections

search

actions

NONWKD

ID	<i>ID</i>
Customer ID	<i>customerID</i>
nonWorkDate	<i>nonWorkDate</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
scheduleDay	<i>scheduleDay</i>
Schedule ID	<i>scheduleID</i>
User ID	<i>userID</i>

Note

fields

references

collections

search

actions

NOTE

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Attached Document ID	<i>attachDocumentID</i>
Attachment ObjCode	<i>attachObjCode</i>
Attachment ObjID	<i>attachObjID</i>
Attached Issue ID	<i>attachOpTaskID</i>
attachWorkID	<i>attachWorkID</i>
attachWorkName	<i>attachWorkName</i>
attachWorkObjCode	<i>attachWorkObjCode</i>
attachWorkUserID	<i>attachWorkUserID</i>
auditRecordID	<i>auditRecordID</i>
Audit Text	<i>auditText</i>
Audit Type	<i>auditType</i>
Customer ID	<i>customerID</i>
Document ID	<i>documentID</i>

emailUsers	<i>emailUsers</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
formatEntryDate	<i>formatEntryDate</i>
Has Replies	<i>hasReplies</i>
html	<i>html</i>
Indent	<i>indent</i>
Is Deleted	<i>isDeleted</i>
Is Message	<i>isMessage</i>
Is Private	<i>isPrivate</i>
isReply	<i>isReply</i>
Iteration ID	<i>iterationID</i>
json	<i>json</i>
Note ObjCode	<i>noteObjCode</i>
Note Text	<i>noteText</i>
numLikes	<i>numLikes</i>
Num Replies	<i>numReplies</i>
ObjID	<i>objID</i>
Issue ID	<i>opTaskID</i>
Owner ID	<i>ownerID</i>
parentEndorsementID	<i>parentEndorsementID</i>
Parent Journal Entry ID	<i>parentJournalEntryID</i>
Parent Note ID	<i>parentNoteID</i>
Portfolio ID	<i>portfolioID</i>
Program ID	<i>programID</i>
Project ID	<i>projectID</i>
referenceObjectName	<i>referenceObjectName</i>
richTextNoteID	<i>richTextNoteID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Subject	<i>subject</i>

Task ID	<i>taskID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
Thread Date	<i>threadDate</i>
Thread ID	<i>threadID</i>
Timesheet ID	<i>timesheetID</i>
Top Note ObjCode	<i>topNoteObjCode</i>
Top ObjID	<i>topObjID</i>
topReferenceObjectName	<i>topReferenceObjectName</i>
User ID	<i>userID</i>

Note Tag

fields

references

collections

search

actions

NTAG

ID	<i>ID</i>
Customer ID	<i>customerID</i>
length	<i>length</i>
noteID	<i>noteID</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
referenceObjectName	<i>referenceObjectName</i>
startIdx	<i>startIdx</i>
Team ID	<i>teamID</i>
User ID	<i>userID</i>

Object Category

fields

references

collections

search

actions

OBJCAT

ID	<i>ID</i>
Category ID	<i>categoryID</i>
categoryOrder	<i>categoryOrder</i>
Customer ID	<i>customerID</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>

Issue

fields

references

collections

search

actions

OPTASK

ID	ID
accessorIDs	<i>accessorIDs</i>
Actual Completion Date	<i>actualCompletionDate</i>
Actual Cost	<i>actualCost</i>
Actual Start Date	<i>actualStartDate</i>
Actual Hours	<i>actualWorkRequired</i>
actualWorkRequiredExpression	<i>actualWorkRequiredExpression</i>
ageRangeAsString	<i>ageRangeAsString</i>
Approval Path Completion Date	<i>approvalCompletionDate</i>
Approval Estimated Start Date	<i>approvalEstStartDate</i>
Approval Planned Start Date	<i>approvalPlannedStartDate</i>
approvalPlannedStartDay	<i>approvalPlannedStartDay</i>
Approval Processes ID	<i>approvalProcessID</i>
Approval Projected Start Date	<i>approvalProjectedStartDate</i>
Approval Path Start Date	<i>approvalStartDate</i>
approversString	<i>approversString</i>
Assigned To ID	<i>assignedToID</i>
Audit Types	<i>auditTypes</i>
Auto Closure Date	<i>autoClosureDate</i>
Order	<i>backlogOrder</i>
Parent	<i>backlogParent</i>
Can Start	<i>canStart</i>
Category ID	<i>categoryID</i>
Color	<i>color</i>
Commit Date	<i>commitDate</i>
commitDateRange	<i>commitDateRange</i>
Condition	<i>condition</i>
Current Approval Stage ID	<i>currentApprovalStepID</i>
currentStatusDuration	<i>currentStatusDuration</i>
Customer ID	<i>customerID</i>

Description	<i>description</i>
Due Date	<i>dueDate</i>
Duration in Minutes	<i>durationMinutes</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Estimate	<i>estimate</i>
External Reference ID	<i>extRefID</i>
First Response	<i>firstResponse</i>
Has Documents	<i>hasDocuments</i>
Has Messages	<i>hasMessages</i>
Has Notes	<i>hasNotes</i>
Has Resolvables	<i>hasResolvables</i>
Has Reminder Notifications	<i>hasTimedNotifications</i>
Age	<i>howOld</i>
Is Complete	<i>isComplete</i>
Is Help Desk	<i>isHelpDesk</i>
Ready	<i>isReady</i>
Iteration ID	<i>iterationID</i>
Last Condition Note ID	<i>lastConditionNoteID</i>
Last Note ID	<i>lastNoteID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>
Number of Children	<i>numberOfChildren</i>
Issue Type	<i>opTaskType</i>
opTaskTypeLabel	<i>opTaskTypeLabel</i>
Owner ID	<i>ownerID</i>
Planned Completion Date	<i>plannedCompletionDate</i>
Planned Date Alignment	<i>plannedDateAlignment</i>
Planned Duration Minutes	<i>plannedDurationMinutes</i>
Planned Hours Alignment	<i>plannedHoursAlignment</i>

Planned Start Date	<i>plannedStartDate</i>
Previous Status	<i>previousStatus</i>
Priority	<i>priority</i>
Project ID	<i>projectId</i>
Projected Completion Date	<i>projectedCompletionDate</i>
Projected Duration Minutes	<i>projectedDurationMinutes</i>
Projected Start Date	<i>projectedStartDate</i>
Queue Topic ID	<i>queueTopicID</i>
Reference Number	<i>referenceNumber</i>
referenceObjCode	<i>referenceObjCode</i>
referenceObjID	<i>referenceObjID</i>
Rejection Issue ID	<i>rejectionIssueID</i>
Remaining Duration Minutes	<i>remainingDurationMinutes</i>
Resolution time	<i>resolutionTime</i>
Resolve Issue ID	<i>resolveOpTaskID</i>
Resolve Project ID	<i>resolveProjectID</i>
Resolve Task ID	<i>resolveTaskID</i>
Resolving Object Type	<i>resolvingObjCode</i>
Resolving Object ID	<i>resolvingObjID</i>
Role ID	<i>roleID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Severity	<i>severity</i>
showCommitDate	<i>showCommitDate</i>
showCondition	<i>showCondition</i>
showStatus	<i>showStatus</i>
Source Object Type	<i>sourceObjCode</i>
Source Object ID	<i>sourceObjID</i>
Source Task ID	<i>sourceTaskID</i>
Status	<i>status</i>
Status Update	<i>statusUpdate</i>

storyBoardOrder	<i>storyBoardOrder</i>
Submitted By ID	<i>submittedByID</i>
Team ID	<i>teamID</i>
URL	<i>url</i>
Version	<i>version</i>
Planned Hours	<i>workRequired</i>
workRequiredExpression	<i>workRequiredExpression</i>

Parameter

fields

references

collections

search

actions

PARAM

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Data Type	<i>dataType</i>
Description	<i>description</i>
Display Size	<i>displaySize</i>
Display Type	<i>displayType</i>
External Reference ID	<i>extRefID</i>
Format Constraint	<i>formatConstraint</i>
Is Required	<i>isRequired</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>

Descriptive Text

fields

references

collections

search

actions

PRMDTX

Customer ID	<i>customerID</i>
parameterID	<i>parameterID</i>
text	<i>text</i>
URL	<i>url</i>

Parameter Group

fields

references

collections

search

actions

PGRP

ID	<i>ID</i>
----	-----------

Customer ID	<i>customerID</i>
Description	<i>description</i>
Display Order	<i>displayOrder</i>
External Reference ID	<i>extRefID</i>
Is Default	<i>isDefault</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>

Parameter Option

fields

references

collections

search

actions

POPT

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Display Order	<i>displayOrder</i>
External Reference ID	<i>extRefID</i>
Is Default	<i>isDefault</i>
Is Hidden	<i>isHidden</i>
Label	<i>label</i>
parameterID	<i>parameterID</i>
Value	<i>value</i>

Report

fields

references

collections

search

actions

PTLSEC

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Global ID	<i>appGlobalID</i>
Controller	<i>controllerClass</i>
Currency	<i>currency</i>
Customer ID	<i>customerID</i>
Dashboards	<i>dashboards</i>
Default Tab	<i>defaultTab</i>
definition	<i>definition</i>
Description	<i>description</i>

Description Key	<i>descriptionKey</i>
Enable Prompt Security	<i>enablePromptSecurity</i>
Entered By ID	<i>enteredByID</i>
External Reference ID	<i>extRefID</i>
Filter Control	<i>filterControl</i>
Filter ID	<i>filterID</i>
folderName	<i>folderName</i>
Force Load	<i>forceLoad</i>
ganttOpen	<i>ganttOpen</i>
UI Key	<i>globalUIKey</i>
Grouping ID	<i>groupByID</i>
Group Control	<i>groupControl</i>
isAppGlobalCopiable	<i>isAppGlobalCopiable</i>
Is Global and Editable	<i>isAppGlobalEditable</i>
isNewFormat	<i>isNewFormat</i>
Is Public	<i>isPublic</i>
Is Report	<i>isReport</i>
Standalone	<i>isStandalone</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Max Results	<i>maxResults</i>
Method Name	<i>methodName</i>
Date Modified	<i>modDate</i>
Name	<i>name</i>
Name Key	<i>nameKey</i>
ObjID	<i>objID</i>
Object Interface	<i>objInterface</i>
Scope	<i>objObjCode</i>
Preference ID	<i>preferenceID</i>
Public Run As User ID	<i>publicRunAsUserID</i>
publicToken	<i>publicToken</i>

Folder ID	<i>reportFolderID</i>
Report Type	<i>reportType</i>
Run As User ID	<i>runAsUserID</i>
Delivery ID	<i>scheduledReportID</i>
securityAncestorsDisabled	<i>securityAncestorsDisabled</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Show Prompts	<i>showPrompts</i>
Sort by	<i>sortBy</i>
Second Sort by	<i>sortBy2</i>
Third Sort by	<i>sortBy3</i>
Sort Type	<i>sortType</i>
Second Sort Type	<i>sortType2</i>
Third Sort Type	<i>sortType3</i>
specialView	<i>specialView</i>
Toolbar	<i>toolBar</i>
Type	<i>uiObjCode</i>
View Control	<i>viewControl</i>
View ID	<i>viewID</i>
Width	<i>width</i>

PortalSectionLastViewer

fields

references

collections

search

actions

PLSLSV

ID	<i>ID</i>
Creation Date	<i>creationDate</i>
Customer ID	<i>customerID</i>
Report ID	<i>reportID</i>
Viewer ID	<i>viewerID</i>

PortalSectionStatisticInfo

fields

references

collections

search

actions

PLSVST

ID	<i>ID</i>
All Views	<i>allViews</i>

Customer ID	<i>customerID</i>
lastUpdatedDate	<i>lastUpdatedDate</i>
Report ID	<i>reportID</i>
Views Last Month	<i>viewsLastMonth</i>
Views Last Quarter	<i>viewsLastQuarter</i>
Views Last Year	<i>viewsLastYear</i>
Views This Month	<i>viewsThisMonth</i>
Views This Quarter	<i>viewsThisQuarter</i>
Views This Year	<i>viewsThisYear</i>

Dashboard

fields

references

collections

search

actions

PTLTAB

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Display Order	<i>displayOrder</i>
Type	<i>docID</i>
External Reference ID	<i>extRefID</i>
Is Public	<i>isPublic</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>
Name Key	<i>nameKey</i>
Portal Profile ID	<i>portalProfileID</i>
Tab Name	<i>tabname</i>
User ID	<i>userID</i>

Portal Tab Section

fields

references

collections

search

actions

PRTBSC

ID	<i>ID</i>
Area	<i>area</i>
calendarPortalSectionID	<i>calendarPortalSectionID</i>

Customer ID	<i>customerID</i>
Display Order	<i>displayOrder</i>
externalSectionID	<i>externalSectionID</i>
internalSectionID	<i>internalSectionID</i>
portalSectionObjCode	<i>portalSectionObjCode</i>
portalSectionObjID	<i>portalSectionObjID</i>
portalTabID	<i>portalTabID</i>

Portfolio**fields**

references

collections

search

actions

PORT

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Aligned	<i>aligned</i>
Alignment Scorecard ID	<i>alignmentScoreCardID</i>
Audit Types	<i>auditTypes</i>
Budget	<i>budget</i>
Category ID	<i>categoryID</i>
Currency	<i>currency</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Has Documents	<i>hasDocuments</i>
Has Messages	<i>hasMessages</i>
Has Notes	<i>hasNotes</i>
Is Active	<i>isActive</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>
Net Value	<i>netValue</i>
On Budget	<i>onBudget</i>

On Time	<i>onTime</i>
Owner ID	<i>ownerID</i>
ROI	<i>roi</i>

Predecessor

fields

references

collections

search

actions

PRED

ID	<i>ID</i>
Customer ID	<i>customerID</i>
isCP	<i>isCP</i>
isEnforced	<i>isEnforced</i>
Lag Days	<i>lagDays</i>
Lag Type	<i>lagType</i>
predecessorID	<i>predecessorID</i>
predecessorType	<i>predecessorType</i>
successorID	<i>successorID</i>

Program

fields

references

collections

search

actions

PRGM

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Audit Types	<i>auditTypes</i>
Category ID	<i>categoryID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Has Documents	<i>hasDocuments</i>
Has Messages	<i>hasMessages</i>
Has Notes	<i>hasNotes</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Name	<i>name</i>

Owner ID	<i>ownerID</i>
Portfolio ID	<i>portfolioID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>

Project

PROJ

Project User

fields

references

collections

search

actions

PRTU

Customer ID	<i>customerID</i>
Project ID	<i>projectID</i>
User ID	<i>userID</i>

ProjectUserRole

fields

references

collections

search

actions

PTEAM

Customer ID	<i>customerID</i>
Project ID	<i>projectID</i>
Role ID	<i>roleID</i>
User ID	<i>userID</i>

Proof

fields

references

collections

search

actions

PROOF

ID	<i>ID</i>
deadLine	<i>deadLine</i>
Name	<i>name</i>

Proof Approval

fields

references

collections

search

actions

PRFAPL

ID	<i>ID</i>
Approver ID	<i>approverID</i>
documentVersionID	<i>documentVersionID</i>
Proof Creation Date	<i>proofCreationDate</i>

ProofApprovalStatus

fields

references

collections

search

actions

PRFAS

ID	<i>ID</i>
Status ID	<i>proofApprovalStatusID</i>
Status Label	<i>proofApprovalStatusLabel</i>

Proof File Metadata

fields

references

collections

search

actions

PRFMD

ID	<i>ID</i>
documentVersionID	<i>documentVersionID</i>
fileIndex	<i>fileIndex</i>
File Name	<i>fileName</i>
isURL	<i>isURL</i>

Queue

fields

references

collections

search

actions

QUED

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Add Issue Style	<i>addOpTaskStyle</i>
allowedLegacyQueueTopicIDs	<i>allowedLegacyQueueTopicIDs</i>
Allowed Issue Types	<i>allowedOpTaskTypes</i>
allowedQueueTopicIDs	<i>allowedQueueTopicIDs</i>
Customer ID	<i>customerID</i>
Approval Process ID	<i>defaultApprovalProcessID</i>
Default Category ID	<i>defaultCategoryID</i>
defaultDurationExpression	<i>defaultDurationExpression</i>
Default Duration Minutes	<i>defaultDurationMinutes</i>
Default Duration Unit	<i>defaultDurationUnit</i>
Default Route ID	<i>defaultRouteID</i>
defaultTopicGroupID	<i>defaultTopicGroupID</i>
External Reference ID	<i>extRefID</i>
Has Queue Topics	<i>hasQueueTopics</i>
Is Public	<i>isPublic</i>
Project ID	<i>projectID</i>

requestorCoreAction	<i>requestorCoreAction</i>
requestorForbiddenActions	<i>requestorForbiddenActions</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
shareMode	<i>shareMode</i>
Template ID	<i>templateID</i>
Visible Issue Fields	<i>visibleOpTaskFields</i>

Queue Topic

fields

references

collections

search

actions

QUET

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Allowed Issue Types	<i>allowedOpTaskTypes</i>
Customer ID	<i>customerID</i>
Approval Process ID	<i>defaultApprovalProcessID</i>
Default Category ID	<i>defaultCategoryID</i>
defaultDuration	<i>defaultDuration</i>
defaultDurationExpression	<i>defaultDurationExpression</i>
Default Duration Minutes	<i>defaultDurationMinutes</i>
Default Duration Unit	<i>defaultDurationUnit</i>
Default Route ID	<i>defaultRouteID</i>
Description	<i>description</i>
External Reference ID	<i>extRefID</i>
indentedName	<i>indentedName</i>
Name	<i>name</i>
parentTopicGroupID	<i>parentTopicGroupID</i>
Parent Topic ID	<i>parentTopicID</i>
Queue Definition ID	<i>queueDefID</i>

Topic Group

fields

references

collections

search

actions

QUETGP

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>

associatedTopics	<i>associatedTopics</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Name	<i>name</i>
Parent ID	<i>parentID</i>
Queue Definition ID	<i>queueDefID</i>

Billing Rate

fields

references

collections

search

actions

RATE

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Company ID	<i>companyID</i>
Customer ID	<i>customerID</i>
End Date	<i>endDate</i>
External Reference ID	<i>extRefID</i>
Name	<i>name</i>
Project ID	<i>projectID</i>
Rate Value	<i>rateValue</i>
Role ID	<i>roleID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Start Date	<i>startDate</i>
Template ID	<i>templateID</i>

Recent

fields

references

collections

search

actions

RECENT

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Last Viewed Date	<i>lastViewedDate</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
User ID	<i>userID</i>

Report Folder

fields

references

collections

search

actions

RPTFDR

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Name	<i>name</i>

Reserved Time

fields

references

collections

search

actions

RESVT

ID	<i>ID</i>
Customer ID	<i>customerID</i>
End Date	<i>endDate</i>
External Reference ID	<i>extRefID</i>
Start Date	<i>startDate</i>
Task ID	<i>taskID</i>
User ID	<i>userID</i>

Resource Estimate

fields

references

collections

search

actions

RSALLO

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Allocation Date	<i>allocationDate</i>
Budgeted Hours	<i>budgetedHours</i>
Customer ID	<i>customerID</i>
Is Split	<i>isSplit</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Project ID	<i>projectID</i>
projectedScheduledHours	<i>projectedScheduledHours</i>
Legacy Resource Pool ID	<i>resourcePoolID</i>
Role ID	<i>roleID</i>
Scheduled Hours	<i>scheduledHours</i>
securityRootID	<i>securityRootID</i>

securityRootObjCode

securityRootObjCode

ResourceContour

fields

references

collections

search

actions

RSCONT

ID

ID

Resource Manager

fields

references

collections

search

actions

RESMGR

ID

ID

Customer ID

customerID

Project ID

projectID

Project Priority

projectPriority

Resource Manager ID

resourceManagerID

Template ID

templateID

Resource Planner Filter

fields

references

collections

search

actions

RPFL

ID

ID

Name

name

Legacy Resource Pool

fields

references

collections

search

actions

RSPOOL

ID

ID

Customer ID

customerID

Description

description

Display Order

displayOrder

External Reference ID

extRefID

Name

name

Rich Text Note

fields

references

collections

search

actions

RHNOTE

ID

ID

Risk

fields

references

collections

search

actions

RISK

ID	ID
accessorIDs	<i>accessorIDs</i>
Actual Cost	<i>actualCost</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Potential Cost	<i>estimatedEffect</i>
External Reference ID	<i>extRefID</i>
Mitigation Cost	<i>mitigationCost</i>
Mitigation Description	<i>mitigationDescription</i>
Probability	<i>probability</i>
Project ID	<i>projectID</i>
Risk Type ID	<i>riskTypeID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Status	<i>status</i>
Template ID	<i>templateID</i>

Risk Type

fields

references

collections

search

actions

RSKTYP

ID	ID
Customer ID	<i>customerID</i>
Description	<i>description</i>
External Reference ID	<i>extRefID</i>
Name	<i>name</i>

Job Role

fields

references

collections

search

actions

ROLE

ID	ID
Billing Per Hour	<i>billingPerHour</i>
Cost Per Hour	<i>costPerHour</i>
Customer ID	<i>customerID</i>
Default Interface	<i>defaultInterface</i>

Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Layout Template ID	<i>layoutTemplateID</i>
Max Users	<i>maxUsers</i>
Name	<i>name</i>

Routing Rule

fields

references

collections

search

actions

RRUL

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Customer ID	<i>customerID</i>
Default Assigned To ID	<i>defaultAssignedToID</i>
Default Project ID	<i>defaultProjectID</i>
Default Role ID	<i>defaultRoleID</i>
defaultTeamID	<i>defaultTeamID</i>
Description	<i>description</i>
Name	<i>name</i>
Project ID	<i>projectID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Template ID	<i>templateID</i>

Resource Pool

fields

references

collections

search

actions

RSPL

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Last Update Date	<i>lastUpdateDate</i>

Last Updated By ID

lastUpdatedByID

Name

*name***Schedule**

fields

references

collections

search

actions

SCHED

ID

ID

Customer ID

customerID

Entered By ID

enteredByID

Entry Date

entryDate

External Reference ID

extRefID

Friday

friday

Group ID

groupID

Has Non Work Days

hasNonWorkDays

Home Group ID

homeGroupID

Is Default

isDefault

Monday

monday

Name

name

Saturday

saturday

Sunday

sunday

Thursday

thursday

Time Zone

timeZone

Tuesday

tuesday

Wednesday

*wednesday***Scheduled Report**

fields

references

collections

search

actions

SCHREP

ID

ID

Customer ID

customerID

Description

description

Entered By ID

enteredByID

externalEmails

externalEmails

Format

format

Group IDs

groupIDs

isExcelHyperlinksEnabled	<i>isExcelHyperlinksEnabled</i>
Last Runtime Milliseconds	<i>lastRuntimeMilliseconds</i>
Last Sent Date	<i>lastSentDate</i>
Name	<i>name</i>
Page Size	<i>pageSize</i>
Report ID	<i>portalSectionID</i>
Recipients	<i>recipients</i>
Recurrence Rule	<i>recurrenceRule</i>
Role IDs	<i>roleIDs</i>
Run As User ID	<i>runAsUserID</i>
runAsUserTypeAhead	<i>runAsUserTypeAhead</i>
Schedule Time	<i>schedTime</i>
Schedule	<i>schedule</i>
Schedule Start	<i>scheduleStart</i>
Start Date	<i>startDate</i>
Team IDs	<i>teamIDs</i>
Type	<i>uiObjCode</i>
uiObjID	<i>uiObjID</i>
userIDs	<i>userIDs</i>

Scorecard

fields

references

collections

search

actions

SCORE

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Is Public	<i>isPublic</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>

Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Project ID	<i>projectID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Template ID	<i>templateID</i>

Scorecard Answer

fields

references

collections

search

actions

SCANS

ID	<i>ID</i>
Customer ID	<i>customerID</i>
numberVal	<i>numberVal</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Project ID	<i>projectID</i>
Scorecard ID	<i>scoreCardID</i>
scoreCardOptionID	<i>scoreCardOptionID</i>
scoreCardQuestionID	<i>scoreCardQuestionID</i>
Template ID	<i>templateID</i>
Type	<i>type</i>

Scorecard Option

fields

references

collections

search

actions

SCOPT

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Display Order	<i>displayOrder</i>
Is Default	<i>isDefault</i>
Is Hidden	<i>isHidden</i>
Label	<i>label</i>
scoreCardQuestionID	<i>scoreCardQuestionID</i>
Value	<i>value</i>

Scorecard Question

fields

references

collections

search

actions

SCOREQ

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Description	<i>description</i>
Display Order	<i>displayOrder</i>
Display Type	<i>displayType</i>
Name	<i>name</i>
Scorecard ID	<i>scoreCardID</i>
Point	<i>weight</i>

SearchEvent

fields

references

collections

search

actions

SRCEVT

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Entry Date	<i>entryDate</i>
Object Type	<i>eventObjCode</i>
Event Type	<i>eventType</i>
objIDs	<i>objIDs</i>

Stage Approver

fields

references

collections

search

actions

SPAPVR

ID	<i>ID</i>
Approval Stage ID	<i>approvalStepID</i>
Customer ID	<i>customerID</i>
Role ID	<i>roleID</i>
Team ID	<i>teamID</i>
User ID	<i>userID</i>
Wildcard	<i>wildCard</i>

Subscribe

fields

references

collections

search

actions

SUBSCR

ID	<i>ID</i>
----	-----------

Task

TASK

Team

fields

references

collections

search

actions

TEAMOB

ID	ID
agileMethodology	<i>agileMethodology</i>
autoAddNextStory	<i>autoAddNextStory</i>
Customer ID	<i>customerID</i>
Default Interface	<i>defaultInterface</i>
Description	<i>description</i>
estimateByHours	<i>estimateByHours</i>
hoursPerPoint	<i>hoursPerPoint</i>
Agile	<i>isAgile</i>
isStandardIssueList	<i>isStandardIssueList</i>
Layout Template ID	<i>layoutTemplateID</i>
Name	<i>name</i>
Issue Bug Report Statuses	<i>opTaskBugReportStatuses</i>
Issue Change Order Statuses	<i>opTaskChangeOrderStatuses</i>
Issue Statuses	<i>opTaskIssueStatuses</i>
Issue Request Statuses	<i>opTaskRequestStatuses</i>
Owner ID	<i>ownerID</i>
Schedule ID	<i>scheduleID</i>
Task Statuses	<i>taskStatuses</i>
teamStoryBoardIssueStatuses	<i>teamStoryBoardIssueStatuses</i>
teamStoryBoardStatuses	<i>teamStoryBoardStatuses</i>
teamType	<i>teamType</i>
wipLimit	<i>wipLimit</i>

Team Member

fields

references

collections

search

actions

TEAMMB

adhocTeam	<i>adhocTeam</i>
Customer ID	<i>customerID</i>
hasAssignPermissions	<i>hasAssignPermissions</i>

Team ID	<i>teamID</i>
User ID	<i>userID</i>

Template

fields

references

collections

search

actions

TMPL

ID	<i>ID</i>
URL	<i>URL</i>
accessorIDs	<i>accessorIDs</i>
Approval Processes ID	<i>approvalProcessID</i>
Auto Baseline Recur On	<i>autoBaselineRecurOn</i>
Auto Baseline Recurrence Type	<i>autoBaselineRecurrenceType</i>
Budget	<i>budget</i>
Category ID	<i>categoryID</i>
Company ID	<i>companyID</i>
Completion Day	<i>completionDay</i>
Completion Type	<i>completionType</i>
Condition Type	<i>conditionType</i>
Currency	<i>currency</i>
Customer ID	<i>customerID</i>
Deliverable Scorecard ID	<i>deliverableScoreCardID</i>
Goal Success Score	<i>deliverableSuccessScore</i>
Description	<i>description</i>
durationExpression	<i>durationExpression</i>
Duration in Minutes	<i>durationMinutes</i>
Enable Auto Baselines	<i>enableAutoBaselines</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
External Reference ID	<i>extRefID</i>
Filter Hour Types	<i>filterHourTypes</i>
Fixed Cost	<i>fixedCost</i>
Fixed Revenue	<i>fixedRevenue</i>
Has Documents	<i>hasDocuments</i>

Has Expenses	<i>hasExpenses</i>
Has Notes	<i>hasNotes</i>
Has Reminder Notifications	<i>hasTimedNotifications</i>
Last Note ID	<i>lastNoteID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Leveling Mode	<i>levelingMode</i>
Milestone Path ID	<i>milestonePathID</i>
Name	<i>name</i>
Owner ID	<i>ownerID</i>
Owner Privileges	<i>ownerPrivileges</i>
pendingCalculation	<i>pendingCalculation</i>
pendingUpdateMethods	<i>pendingUpdateMethods</i>
Performance Index Method	<i>performanceIndexMethod</i>
Planned Benefit	<i>plannedBenefit</i>
Planned Cost	<i>plannedCost</i>
Planned Expense Cost	<i>plannedExpenseCost</i>
Planned Labor Cost	<i>plannedLaborCost</i>
Planned Revenue	<i>plannedRevenue</i>
Planned Risk Cost	<i>plannedRiskCost</i>
Portfolio ID	<i>portfolioID</i>
Priority	<i>priority</i>
Program ID	<i>programID</i>
Queue Definition ID	<i>queueDefID</i>
Reference Number	<i>referenceNumber</i>
Risk	<i>risk</i>
Schedule ID	<i>scheduleID</i>
Schedule Mode	<i>scheduleMode</i>
Sponsor ID	<i>sponsorID</i>
Start Day	<i>startDay</i>
summaryCompletionType	<i>summaryCompletionType</i>

Team ID	<i>teamID</i>
Update Type	<i>updateType</i>
Version	<i>version</i>
Planned Hours	<i>workRequired</i>

Template Assignment

fields

references

collections

search

actions

TASSGN

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Assigned To ID	<i>assignedToID</i>
Assignment Percent	<i>assignmentPercent</i>
Customer ID	<i>customerID</i>
Is Primary	<i>isPrimary</i>
Is Team Assignment	<i>isTeamAssignment</i>
masterTaskID	<i>masterTaskID</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Role ID	<i>roleID</i>
Team ID	<i>teamID</i>
Template ID	<i>templateID</i>
Template Task ID	<i>templateTaskID</i>
Work	<i>work</i>
Planned Hours	<i>workRequired</i>
workUnit	<i>workUnit</i>

Predecessor

fields

references

collections

search

actions

TPRED

Customer ID	<i>customerID</i>
isEnforced	<i>isEnforced</i>
Lag Days	<i>lagDays</i>
Lag Type	<i>lagType</i>
predecessorID	<i>predecessorID</i>
predecessorType	<i>predecessorType</i>

successorID

*successorID***Template Task**

fields

references

collections

search

actions

TTSK

ID

ID

URL

URL

accessorIDs

accessorIDs

Approval Processes ID

approvalProcessID

Assigned To ID

assignedToID

assignmentsListString

assignmentsListString

Audit Types

auditTypes

Cap or Fixed Amount

billingAmount

Category ID

categoryID

Completion Day

completionDay

Constraint Day

constraintDay

Cost Amount

costAmount

Cost Type

costType

Customer ID

customerID

Description

description

Duration

duration

durationExpression

durationExpression

Duration in Minutes

durationMinutes

Duration Type

durationType

Duration Unit

durationUnit

Entered By ID

enteredByID

Entry Date

entryDate

External Reference ID

extRefID

Has Documents

hasDocuments

Has Expenses

hasExpenses

Has Notes

hasNotes

Has Reminder Notifications

hasTimedNotifications

Indent

indent

Is Critical	<i>isCritical</i>
Duration Locked	<i>isDurationLocked</i>
Exclude from Leveling	<i>isLevelingExcluded</i>
Worked Locked	<i>isWorkRequiredLocked</i>
Last Note ID	<i>lastNoteID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Leveling Delay	<i>levelingStartDelay</i>
levelingStartDelayMinutes	<i>levelingStartDelayMinutes</i>
masterTaskID	<i>masterTaskID</i>
Milestone ID	<i>milestoneID</i>
Name	<i>name</i>
Number of Children	<i>numberOfChildren</i>
Original Duration	<i>originalDuration</i>
Original Planned Hours	<i>originalWorkRequired</i>
Parent ID	<i>parentID</i>
Parent Lag	<i>parentLag</i>
Parent Lag Type	<i>parentLagType</i>
pendingCalculation	<i>pendingCalculation</i>
pendingUpdateMethods	<i>pendingUpdateMethods</i>
Planned Cost	<i>plannedCost</i>
Planned Duration	<i>plannedDuration</i>
Planned Duration Minutes	<i>plannedDurationMinutes</i>
Planned Expense Cost	<i>plannedExpenseCost</i>
Planned Labor Cost	<i>plannedLaborCost</i>
Planned Revenue	<i>plannedRevenue</i>
predecessorExpression	<i>predecessorExpression</i>
Priority	<i>priority</i>
Recurrence Number	<i>recurrenceNumber</i>
Recurrence Rule ID	<i>recurrenceRuleID</i>
Reference Number	<i>referenceNumber</i>

Revenue Type	<i>revenueType</i>
Role ID	<i>roleID</i>
Start Day	<i>startDay</i>
Task Constraint	<i>taskConstraint</i>
Task Number	<i>taskNumber</i>
taskNumberPredecessorString	<i>taskNumberPredecessorString</i>
Team ID	<i>teamID</i>
Template ID	<i>templateID</i>
Tracking Mode	<i>trackingMode</i>
Work	<i>work</i>
Planned Hours	<i>workRequired</i>
workRequiredExpression	<i>workRequiredExpression</i>
workUnit	<i>workUnit</i>

Template Team Member

fields

references

collections

search

actions

TMTU

Customer ID	<i>customerID</i>
Template ID	<i>templateID</i>
tmpUserID	<i>tmpUserID</i>
User ID	<i>userID</i>

TemplateUserRole

fields

references

collections

search

actions

TTEAM

Customer ID	<i>customerID</i>
Role ID	<i>roleID</i>
Template ID	<i>templateID</i>
User ID	<i>userID</i>

Timesheet

fields

references

collections

search

actions

TSHET

ID	<i>ID</i>
approverCanEditHours	<i>approverCanEditHours</i>
Approver ID	<i>approverID</i>

approversListString	<i>approversListString</i>
availableActions	<i>availableActions</i>
Customer ID	<i>customerID</i>
Display Name	<i>displayName</i>
End Date	<i>endDate</i>
External Reference ID	<i>extRefID</i>
Has Notes	<i>hasNotes</i>
hoursDuration	<i>hoursDuration</i>
isEditable	<i>isEditable</i>
Last Note ID	<i>lastNoteID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Overtime Hours	<i>overtimeHours</i>
Regular Hours	<i>regularHours</i>
Start Date	<i>startDate</i>
Status	<i>status</i>
Timesheet Profile ID	<i>timesheetProfileID</i>
Total Hours	<i>totalHours</i>
User ID	<i>userID</i>

Timesheet Profile

fields

references

collections

search

actions

TSPRO

ID	<i>ID</i>
Group ID	<i>groupID</i>
Name	<i>name</i>

Filter

fields

references

collections

search

actions

UIFT

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Global ID	<i>appGlobalID</i>
Customer ID	<i>customerID</i>
definition	<i>definition</i>

Display Name	<i>displayName</i>
Entered By ID	<i>enteredByID</i>
filterType	<i>filterType</i>
UI Key	<i>globalUIKey</i>
Is Global and Editable	<i>isAppGlobalEditable</i>
Is Public	<i>isPublic</i>
Is Report	<i>isReport</i>
Is Saved Search	<i>isSavedSearch</i>
Is Text	<i>isText</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Date Modified	<i>modDate</i>
Message Key	<i>msgKey</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Preference ID	<i>preferenceID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Type	<i>uiObjCode</i>

Grouping

fields

references

collections

search

actions

UIGB

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Global ID	<i>appGlobalID</i>
Customer ID	<i>customerID</i>
definition	<i>definition</i>
Display Name	<i>displayName</i>
Entered By ID	<i>enteredByID</i>
UI Key	<i>globalUIKey</i>
Is Global and Editable	<i>isAppGlobalEditable</i>

Is Public	<i>isPublic</i>
Is Report	<i>isReport</i>
Is Text	<i>isText</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Date Modified	<i>modDate</i>
Message Key	<i>msgKey</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Preference ID	<i>preferenceID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Type	<i>uiObjCode</i>

View

fields

references

collections

search

actions

UIVW

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Global ID	<i>appGlobalID</i>
Customer ID	<i>customerID</i>
definition	<i>definition</i>
Display Name	<i>displayName</i>
Entered By ID	<i>enteredByID</i>
UI Key	<i>globalUIKey</i>
Is Global and Editable	<i>isAppGlobalEditable</i>
Is Default	<i>isDefault</i>
isNewFormat	<i>isNewFormat</i>
Is Public	<i>isPublic</i>
Is Report	<i>isReport</i>
Is Text	<i>isText</i>
Last Update Date	<i>lastUpdateDate</i>

Last Updated By ID	<i>lastUpdatedByID</i>
Layout Type	<i>layoutType</i>
Date Modified	<i>modDate</i>
Message Key	<i>msgKey</i>
Name	<i>name</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Preference ID	<i>preferenceID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Type	<i>uiObjCode</i>
UI View Type	<i>uiviewType</i>

Update

fields

references

collections

search

actions

UPDATE

ID	<i>ID</i>
allowedActions	<i>allowedActions</i>
auditRecordID	<i>auditRecordID</i>
Entered By ID	<i>enteredByID</i>
enteredByName	<i>enteredByName</i>
Entry Date	<i>entryDate</i>
iconName	<i>iconName</i>
iconPath	<i>iconPath</i>
Message	<i>message</i>
refName	<i>refName</i>
Type	<i>refObjCode</i>
refObjID	<i>refObjID</i>
styledMessage	<i>styledMessage</i>
subMessage	<i>subMessage</i>
SubObjCode	<i>subObjCode</i>
SubObjID	<i>subObjID</i>
Thread ID	<i>threadID</i>

topName	<i>topName</i>
Top ObjCode	<i>topObjCode</i>
Top ObjID	<i>topObjID</i>
updateActions	<i>updateActions</i>
updateObjCode	<i>updateObjCode</i>
updateObjID	<i>updateObjID</i>
Update Type	<i>updateType</i>

User

USER

User Activity

fields

references

collections

search

actions

USERAC

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Entry Date	<i>entryDate</i>
Last Update Date	<i>lastUpdateDate</i>
Name	<i>name</i>
User ID	<i>userID</i>
Value	<i>value</i>

UserAvailability

fields

references

collections

search

actions

USRAVL

ID	<i>ID</i>
availabilityDate	<i>availabilityDate</i>
Customer ID	<i>customerID</i>
plannedAllocationPercent	<i>plannedAllocationPercent</i>
plannedAssignedMinutes	<i>plannedAssignedMinutes</i>
plannedRemainingMinutes	<i>plannedRemainingMinutes</i>
projectedAllocationPercent	<i>projectedAllocationPercent</i>
projectedAssignedMinutes	<i>projectedAssignedMinutes</i>
projectedRemainingMinutes	<i>projectedRemainingMinutes</i>
totalMinutes	<i>totalMinutes</i>
User ID	<i>userID</i>

User Delegations

fields

references

collections

search

actions

USRDEL

ID	<i>ID</i>
Customer ID	<i>customerID</i>
End Date	<i>endDate</i>
fromUserID	<i>fromUserID</i>
Start Date	<i>startDate</i>
toUserID	<i>toUserID</i>

User Group

fields

references

collections

search

actions

USRGPS

Group ID	<i>groupID</i>
isOwner	<i>isOwner</i>
User ID	<i>userID</i>

UserNote

fields

references

collections

search

actions

USRNOT

ID	<i>ID</i>
ackDate	<i>ackDate</i>
ackType	<i>ackType</i>
announcementFavoriteID	<i>announcementFavoriteID</i>
announcementID	<i>announcementID</i>
Customer ID	<i>customerID</i>
documentApprovalID	<i>documentApprovalID</i>
documentRequestID	<i>documentRequestID</i>
documentShareID	<i>documentShareID</i>
Entry Date	<i>entryDate</i>
Event Type	<i>eventType</i>
journalEntryID	<i>journalEntryID</i>
likeID	<i>likeID</i>
markedDeletedDate	<i>markedDeletedDate</i>
noteID	<i>noteID</i>
User ID	<i>userID</i>

userNotable	<i>userNotable</i>
userNotableID	<i>userNotableID</i>
userNotableObjCode	<i>userNotableObjCode</i>

User Object Prefs

fields

references

collections

search

actions

USOP

ID	<i>ID</i>
Customer ID	<i>customerID</i>
Last Update Date	<i>lastUpdateDate</i>
Name	<i>name</i>
Type	<i>refObjCode</i>
refObjID	<i>refObjID</i>
User ID	<i>userID</i>
Value	<i>value</i>

User Preference

fields

references

collections

search

actions

USERPF

Customer ID	<i>customerID</i>
Name	<i>name</i>
User ID	<i>userID</i>
Value	<i>value</i>

User Role

fields

references

collections

search

actions

USRROL

Role ID	<i>roleID</i>
timePercentage	<i>timePercentage</i>
User ID	<i>userID</i>

Work

fields

references

collections

search

actions

WORK

ID	<i>ID</i>
URL	<i>URL</i>
accessorIDs	<i>accessorIDs</i>
Actual Completion Date	<i>actualCompletionDate</i>

Actual Cost	<i>actualCost</i>
Actual Duration	<i>actualDuration</i>
Actual Duration Minutes	<i>actualDurationMinutes</i>
Actual Expense Cost	<i>actualExpenseCost</i>
Actual Labor Cost	<i>actualLaborCost</i>
Actual Revenue	<i>actualRevenue</i>
Actual Start Date	<i>actualStartDate</i>
Actual Hours	<i>actualWork</i>
Actual Hours	<i>actualWorkRequired</i>
actualWorkRequiredExpression	<i>actualWorkRequiredExpression</i>
ageRangeAsString	<i>ageRangeAsString</i>
Approval Path Completion Date	<i>approvalCompletionDate</i>
Approval Estimated Start Date	<i>approvalEstStartDate</i>
Approval Planned Start Date	<i>approvalPlannedStartDate</i>
approvalPlannedStartDay	<i>approvalPlannedStartDay</i>
Approval Processes ID	<i>approvalProcessID</i>
Approval Projected Start Date	<i>approvalProjectedStartDate</i>
Approval Path Start Date	<i>approvalStartDate</i>
approversString	<i>approversString</i>
Assigned To ID	<i>assignedToID</i>
assignmentsListString	<i>assignmentsListString</i>
auditNote	<i>auditNote</i>
Audit Types	<i>auditTypes</i>
auditUserIDs	<i>auditUserIDs</i>
Auto Closure Date	<i>autoClosureDate</i>
Order	<i>backlogOrder</i>
Parent	<i>backlogParent</i>
Cap or Fixed Amount	<i>billingAmount</i>
Billing Record ID	<i>billingRecordID</i>
Can Start	<i>canStart</i>
Category ID	<i>categoryID</i>

Color	<i>color</i>
Commit Date	<i>commitDate</i>
commitDateRange	<i>commitDateRange</i>
Completion Pending Date	<i>completionPendingDate</i>
Condition	<i>condition</i>
Constraint Date	<i>constraintDate</i>
convertedOpTaskEntryDate	<i>convertedOpTaskEntryDate</i>
convertedOpTaskName	<i>convertedOpTaskName</i>
convertedOpTaskOriginatorID	<i>convertedOpTaskOriginatorID</i>
Cost Amount	<i>costAmount</i>
Cost Type	<i>costType</i>
Cost Performance Index	<i>cpu</i>
Cost Schedule Performance Index	<i>csi</i>
Current Approval Stage ID	<i>currentApprovalStepID</i>
currentStatusDuration	<i>currentStatusDuration</i>
Customer ID	<i>customerID</i>
Days Late	<i>daysLate</i>
Description	<i>description</i>
Due Date	<i>dueDate</i>
Duration	<i>duration</i>
durationExpression	<i>durationExpression</i>
Duration in Minutes	<i>durationMinutes</i>
Duration Type	<i>durationType</i>
Duration Unit	<i>durationUnit</i>
EAC	<i>eac</i>
Entered By ID	<i>enteredByID</i>
Entry Date	<i>entryDate</i>
Estimated Due Date	<i>estCompletionDate</i>
Estimated Start Date	<i>estStartDate</i>
Estimate	<i>estimate</i>
External Reference ID	<i>extRefID</i>

First Response	<i>firstResponse</i>
Group ID	<i>groupID</i>
Handoff Date	<i>handoffDate</i>
hasCompletionConstraint	<i>hasCompletionConstraint</i>
Has Documents	<i>hasDocuments</i>
Has Expenses	<i>hasExpenses</i>
Has Messages	<i>hasMessages</i>
Has Notes	<i>hasNotes</i>
Has Resolvables	<i>hasResolvables</i>
hasStartConstraint	<i>hasStartConstraint</i>
Has Reminder Notifications	<i>hasTimedNotifications</i>
hoursPerPoint	<i>hoursPerPoint</i>
Age	<i>howOld</i>
Indent	<i>indent</i>
Agile	<i>isAgile</i>
Is Complete	<i>isComplete</i>
Is Critical	<i>isCritical</i>
Duration Locked	<i>isDurationLocked</i>
Is Help Desk	<i>isHelpDesk</i>
Exclude from Leveling	<i>isLevelingExcluded</i>
Ready	<i>isReady</i>
isStatusComplete	<i>isStatusComplete</i>
Worked Locked	<i>isWorkRequiredLocked</i>
Iteration ID	<i>iterationID</i>
Kanban Board ID	<i>kanbanBoardID</i>
Last Condition Note ID	<i>lastConditionNoteID</i>
Last Note ID	<i>lastNoteID</i>
Last Update Date	<i>lastUpdateDate</i>
Last Updated By ID	<i>lastUpdatedByID</i>
Leveling Delay	<i>levelingStartDelay</i>
levelingStartDelayExpression	<i>levelingStartDelayExpression</i>

levelingStartDelayMinutes	<i>levelingStartDelayMinutes</i>
masterTaskID	<i>masterTaskID</i>
Milestone ID	<i>milestoneID</i>
Name	<i>name</i>
Number of Children	<i>numberOfChildren</i>
Number of Open Issues	<i>numberOpenOpTasks</i>
Issue Type	<i>opTaskType</i>
opTaskTypeLabel	<i>opTaskTypeLabel</i>
Original Duration	<i>originalDuration</i>
Original Planned Hours	<i>originalWorkRequired</i>
Owner ID	<i>ownerID</i>
Parent ID	<i>parentID</i>
Parent Lag	<i>parentLag</i>
Parent Lag Type	<i>parentLagType</i>
pendingCalculation	<i>pendingCalculation</i>
Pending Predecessors	<i>pendingPredecessors</i>
pendingUpdateMethods	<i>pendingUpdateMethods</i>
Percent Complete	<i>percentComplete</i>
Personal	<i>personal</i>
Planned Completion Date	<i>plannedCompletionDate</i>
Planned Cost	<i>plannedCost</i>
Planned Date Alignment	<i>plannedDateAlignment</i>
Planned Duration	<i>plannedDuration</i>
Planned Duration Minutes	<i>plannedDurationMinutes</i>
Planned Expense Cost	<i>plannedExpenseCost</i>
Planned Hours Alignment	<i>plannedHoursAlignment</i>
Planned Labor Cost	<i>plannedLaborCost</i>
Planned Revenue	<i>plannedRevenue</i>
Planned Start Date	<i>plannedStartDate</i>
predecessorExpression	<i>predecessorExpression</i>
Previous Status	<i>previousStatus</i>

Priority	<i>priority</i>
Progress Status	<i>progressStatus</i>
Project ID	<i>projectID</i>
Projected Completion Date	<i>projectedCompletionDate</i>
Projected Duration Minutes	<i>projectedDurationMinutes</i>
Projected Start Date	<i>projectedStartDate</i>
Queue Topic ID	<i>queueTopicID</i>
Recurrence Number	<i>recurrenceNumber</i>
Recurrence Rule ID	<i>recurrenceRuleID</i>
Reference Number	<i>referenceNumber</i>
referenceObjCode	<i>referenceObjCode</i>
referenceObjID	<i>referenceObjID</i>
Rejection Issue ID	<i>rejectionIssueID</i>
Remaining Duration Minutes	<i>remainingDurationMinutes</i>
Reserved Time ID	<i>reservedTimeID</i>
Resolution time	<i>resolutionTime</i>
Resolve Issue ID	<i>resolveOpTaskID</i>
Resolve Project ID	<i>resolveProjectID</i>
Resolve Task ID	<i>resolveTaskID</i>
Resolving Object Type	<i>resolvingObjCode</i>
Resolving Object ID	<i>resolvingObjID</i>
Resource Scope	<i>resourceScope</i>
Revenue Type	<i>revenueType</i>
Role ID	<i>roleID</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Severity	<i>severity</i>
showCommitDate	<i>showCommitDate</i>
showCondition	<i>showCondition</i>
showStatus	<i>showStatus</i>
Slack Date	<i>slackDate</i>

Source Object Type	<i>sourceObjCode</i>
Source Object ID	<i>sourceObjID</i>
Source Task ID	<i>sourceTaskID</i>
Schedule Performance Index	<i>spi</i>
Status	<i>status</i>
Status Equates With	<i>statusEquatesWith</i>
Status Update	<i>statusUpdate</i>
storyBoardOrder	<i>storyBoardOrder</i>
Submitted By ID	<i>submittedByID</i>
Task Constraint	<i>taskConstraint</i>
Task Number	<i>taskNumber</i>
taskNumberPredecessorString	<i>taskNumberPredecessorString</i>
Team ID	<i>teamID</i>
Template Task ID	<i>templateTaskID</i>
Tracking Mode	<i>trackingMode</i>
URL	<i>url</i>
Version	<i>version</i>
Work Breakdown Structure	<i>wbs</i>
Work	<i>work</i>
workPerDayList	<i>workPerDayList</i>
Planned Hours	<i>workRequired</i>
workRequiredExpression	<i>workRequiredExpression</i>
workUnit	<i>workUnit</i>

Work Item

fields

references

collections

search

actions

WRKITM

ID	<i>ID</i>
accessorIDs	<i>accessorIDs</i>
Assignment ID	<i>assignmentID</i>
Customer ID	<i>customerID</i>
Done Date	<i>doneDate</i>
External Reference ID	<i>extRefID</i>

Is Dead	<i>isDead</i>
Is Done	<i>isDone</i>
Last Viewed Date	<i>lastViewedDate</i>
ObjID	<i>objID</i>
Scope	<i>objObjCode</i>
Issue ID	<i>opTaskID</i>
Priority	<i>priority</i>
Project ID	<i>projectID</i>
referenceObjectCommitDate	<i>referenceObjectCommitDate</i>
referenceObjectName	<i>referenceObjectName</i>
securityRootID	<i>securityRootID</i>
securityRootObjCode	<i>securityRootObjCode</i>
Snooze Date	<i>snoozeDate</i>
Task ID	<i>taskID</i>
User ID	<i>userID</i>